

Application No.: 09/855,343

Docket No.: DP6760US

**BEST AVAILABLE COPY**

Page 7

**REMARKS**

The Advisory Action mailed 08/06 2004 was received and carefully considered. Upon entry of the amendments, now resubmitted in response to Examiner's Advisory Action, claims 1-10 and claims 12, 13, 14 and 27 will be pending. Claims 15-26 are cancelled claims belonging to a nonelected invention. Claims 1-6 and 8-10, 12-14 and 27 stand rejected. The Examiner indicates that claim 7 contains patentable subject matter but is objected to for dependence upon a rejected base claim.

Examiner's Advisory Action notes that the proposed amendments will not be entered because they may raise issues that would require further consideration for the possibility that they are new matter. The Examiner additionally pointed out that Claim 10 was submitted with the status qualifier "original" and contained amendments which properly require the status of "currently amended." The Applicants note that the status qualifier of Claim 10 is now properly identified, correcting an unintentional error of the previous submission.

Applicant's response to the Examiner's Advisory Action in the above identified application includes a Request for Continued Examination submission, required under 37 CFR 1.114. Applicant respectfully requests entry of these previously filed unentered amendments.

**I. Amendments to the claims**

Claims 1, 10 and 27 have been amended to recite a finish applicator positioned inside or below the quench zone to apply an amount of finishing liquid to the filament array, wherein the finish applicator comprises a base plate having a peripheral edge which corresponds to the cross-section of the array of moving molten filaments; and a tapered shaped body portion, the tapered shaped body having an angle beta ( $\beta$ ) in the range of about 45 degrees to about 170 degrees for smoothly deflecting accumulated quench air from inside the filament array to

Application No.: 09/855,343  
Docket No.: DP6760US

Page 8

outside the array and having a top and bottom concentric therewith and connected to said base plate, wherein said bottom corresponds in shape to the shape defined by the peripheral edge of the base plate, and having a surface formed by a plurality of lines drawn between said top and said bottom tapering outwardly with respect to the direction of movement of the filament array.

Support for these amendments is found throughout the specification as originally filed, e.g. Page 8 between lines 22 and 38. No new matter is introduced by way of these amendments.

## **II. Rejections under 35 U.S.C. § 103(a)**

Claims 1-4, 6, 8-10, 12-14 and 27 stand rejected as obvious over Linz (5,536,157) in view of any one of Vassilatos (4,687,610); Schilo et al. (5,612,063) or Knox (4,156,071). Applicants respectfully traverse this rejection.

Linz does not teach, disclose, or suggest Applicants' claimed melt spinning apparatuses of claims 1-10, 12-14, and 27. The melt spinning apparatus of Linz discloses only those apparatus and process features relating to quenching an expanded array of polymeric filaments with cooling air flowing from a centrally placed dispensing means radially outward toward the fibers. Conversely, the quench zone in Applicants' claimed invention receives an array of molten filaments which are cooled by a cooling gas passed inwardly to the array of filaments. The Applicants' claimed melt spinning apparatuses further includes a finish application means adapted to contact an expanded array of polymeric filaments about its periphery. However, no finish application means adapted for the inwardly flowing quench cooling means of our invention is found in Linz. Most importantly, the Applicants' inventive finish application means includes a tapered body portion for smoothly deflecting accumulated quench air from inside the filament array to outside the array. The Applicants' preference for a tapered finish applicator surface which smoothly deflects quench air from inside the filament array to the outside is embodied in the applicator shape which

Application No.: 09/855,343

Docket No.: DP6760US

Page 9

provides a gradient surface for the gradual removal of quench air in a radially uniform manner. As recited in the claims currently amended, the finish applicator base plate has a peripheral edge corresponding to the cross-section of the array of moving molten filaments; and a tapered shaped body portion, the tapered shaped body has an angle beta ( $\beta$ ) in the range of about 45 degrees to about 170 degrees for smoothly deflecting accumulated quench air from inside the filament array to outside the array. This feature of the finish applicator body with a beta ( $\beta$ ) angle in the range of about 45 degrees to about 170 degrees is not found in Linz or in any combination of references applied; Linz with any of Vassilatos, Knox, or Schilo.

Claims 5 stands rejected as obvious over Linz (5,536,157) in view of any one of Vassilatos (4,687,610); Schilo et al. (5,612,063) or Knox (4,156,071) and further in view of Stibal et al. (4,756,679) or Kyocera (JP10-77522). Applicants respectfully traverse this rejection. The peripheral fiber contact surface of the Applicants' finish applicator comprise a coating of a wear resistance ceramic oxide or other high strength material to protect the surface from sliding contact wear with the filaments passing over the surface. As supported in Applicants' originally filed specification, the wear resistance coating is a surface treatment. By contrast with especially Stibal and with Kyocera the finish applicators disclosed therein are not comprised of materials surface treated to form hard ceramic oxides or nitrides. Neither these references nor Linz, Vassilatos, Knox, and Schilo in their combinations disclose surface treatments for sliding contact wear resistance.

Since a *prima facie* case of obviousness has not been established by these references, Applicant respectfully submits that this rejection should be withdrawn.

Application No.: 09/855,343  
Docket No.: DP6760US

Page 10


**Conclusion**

For at least the reasons stated above, claims 1-10, 12-14, and 27 are in condition for allowance. Accordingly, Applicants respectfully request that these amendments be entered and the Applicant's RCE under 37 CFR 1.114 be granted.

A proper submission of a Request for Continued Examination and fee is transmitted herewith.

In the event any outstanding issues remain, Applicants would appreciate the courtesy of a telephone call to Applicants' undersigned representative to resolve such issues in an expeditious manner.

Respectfully submitted,



Charles E. Krukiel  
Attorney for Applicants  
Registration No. 27,344

Dated: October 7, 2004

Invista North America S.à r.l.  
4417 Lancaster Pike  
CRP 722/1032  
Wilmington, Delaware 19805  
Tel: 302-999-3708  
Fax: 302-999-3881

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKewed/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**